Wisconsin Healthy People 2010 Data Package

A local data package developed by the Bureau of Health Information




in collaboration with the Division of Public Health

July, 2003 Updates

Wisconsin Department of Health and Family Services

Washington County




Leading Health Indicators

Binge Drinking


Adults 18+ who consumed 5 or more drinks on one occasion in the past 30 days

Washington County



Tobacco Use


Adults 18+ who currently smoke cigarettes
Washington County



Obesity and Overweight, 2000-2001

Percent of adults 18+ obese and/or overweight based on Body Mass Index (BMI)


Southeast Region



Regular and Vigorous Physical Activity


Adults 18+ who exercise 20 minutes or more at 50% of aerobic capacity, 3 or more times per week

Washington County




Health Insurance Coverage

Adults 18+ with coverage entire preceding year Washington County




Mortality Due to Coronary Heart Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population Washington County




Mortality Due to Cerebrovascular Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population Washington County




Mortality Due to Lung Cancer

Rates per 100,000 population, age-adjusted to year 2000 standard population Washington County




Mortality Due to Breast Cancer

Rates per 100,000 female population, age-adjusted to year 2000 standard population Washington County



Cerebrovascular Disease Deaths, 1997-2001




Lung Cancer Deaths, 1997-2001


Number of deaths
Washington County





Breast Cancer Deaths, 1997-2001

Number of deaths
Washington County










Environmental Factors

ASSOCIATE VILLE CALL


Hospitalizations for Asthma

Rates per 10,000 population, age-adjusted to year 2000 standard population Washington County



Children in Medicaid/WIC Screened for Lead


Percent of program-eligible children ever tested Washington County



Socioeconomic Indicators


Children In Poverty

Percent of children 0-17 below poverty level, 1999
Washington County




Poverty: All Ages

Percent of total county population below poverty level, 1999
Washington County



Median Income


1999 median household income (annual)
Washington County



Waternal and Child Leath


Infant Mortality

Deaths before age one per 1,000 live births
Washington County



First-Trimester Prenatal Care, 2001

Percent of births to mothers who received early prenatal care Washington County




Teen Births, 1997-2001

Number of births to mothers less than 20 years of age Washington County




Injury and Violence

Motor Vehicle Crashes Related to Alcohol



Homicide rates, 1997-2001 combined

Rates per 100,000 population, age-adjusted to year 2000 standard population Southeast Region



Sexually Transmitted Diseases

Sexually Transmitted Diseases

Number of chlamydia and gonorrhea cases reported, 1997-2001 Washington County

